

Ideal for use in factories, schools, sporting complexes, storage enclosures and warehouses

CHAINWIRE MESH FENCING & GATES

Chainwire Mesh Fencing are designed to last and provide maximum security to your premises. It is cost effective and the ideal way to secure large perimeters of land. It is widely used for Industrial and Commercial Properties, such as government facilities and privately owned land, as well as security fencing around schools and sporting complexes, warehouse partitions, storage enclosures, access gates, factories, warehouses and building sites,

SPECIFICATIONS:

Diamond sizes

50mm

Heights

900mm, 1200mm, 1500mm, 1800mm, 2100mm, 2400mm, 3000mm, 3600mm

(Non Standard heights available on request)

Wire sizes

2.5mm, 3.15mm

Colour Pipe sizes

Gal, PVC Black, PVC Green

20NB, 25NB, 32NB, 40NB, 50NB, 80NB, 100NB

Pipe gauge

Light, Extra Light, Medium and Heavy

Other products include:

Chainwire gates, Bracing, Fittings, Barbed wire, Helicoil Lacing wire and Cable wire.

JFC always guarantee our Quality Workmanship. PLEASE CALL JOE FOR A FREE OUOTE AND FURTHER OPTIONS We have a wide range of high quality commercial Tubular Fencing to suit your security requirements

COMMERCIAL TUBULAR FENCING

Commercial Tubular Fencing is a very popular choice for many industrial properties because it is very strong and secure. It is a great option for factories and warehouses.

This type of fencing comes in both traditional and contemporary styles and is especially popular for aged care facilities, schools and medical facilities.

Tubular fencing normally comes with a powder coated finish, which helps protect the metals from the elements and there is a wide range of colours to choose from.

SPECIFICATIONS

Our standard range is listed below. If you can't find anything that suits you, contact us and we'll tailor something to your requirements.

Panel length 2400mm (non std sizes available on request)

Panel Heights 1800mm, 2000mm, 2100mm, 2400mm (non std heights available on request)

If your application is for a school and it has a pressed spike, you must use a

minimum 1800mm height to comply with Australian Standards

Gate width 1000 and 3000 opening (non std sizes are available on request).

Design Face welded or Punched through the rail they both use 40mm x 40mm rails,

(other options available on request)

Verticals Std is 25mm x 25mm or 20mm x 20mm (other options available on request)

Post length 2400mm, 2700mm, 3000mm (other lengths are available on request)

Post diameter 66mm, 75mm and 100mm (other options available on request)

We do not recommend going anything smaller than a 65mm post with this

product due to panel weight

Colours 45 std Dulux colours available (please ask your rep for a sample)

Styles Pressed spike or Rod top

Post styles Flanged posts are available on request

Post caps 6 different post caps available

Fittings Std fittings are D latch, striker and hinges

Gates Sliding gates are available for all styles at std heights. There are no std lengths -

they are custom made. Lengths range from 2000mm to 7500mm Sliding gate components included Automation available on request